

Subject Index

- Abamectin: *see* *Spodoptera littoralis*, 127
 Acaricides: Laboratory screening of acaricides against *Tetranychus evansi* Baker & Pritchard, 212
 Acer: *see* *Drepanosiphum platanoidis*, 30
 Aerial spraying: *see* Flow control valves, 318
 Agelaius phoeniceus: *see* Blackbird, 455
 Aldicarb: *see* *Frankliniella occidentalis*, 277
 Alfalfa: *see* *Pythophthora megasperma*, 369
 Anthracis nemoralis: *see* Pear psyllid, 197
 Anthocyanin: *see* Blackbird, 455
 Aphicides: Effectiveness of different insecticides applied at various growth stages to control aphids on winter wheat, 271
 Aphid: An estimate of the potential economic losses to some crops due to aphids in Britain, 25
 Aphid: *see* Parasitoids, 169
 Aphid, pea: *see* *Aphidius smithi*, 193
Aphidius smithi: Toxicity of carbaryl to the pea aphid parasite, *Aphidius smithi*: influence of behaviour on pesticide uptake, 193
 Apple: Evaluation of post-harvest treatments for eradication of *Erwinia amylovora* from apple fruit, 283
 Artichoke: *see* Voles, 114
 Bait application: *see* Sunflower, 397
 Barley: *see* Nematode, 412
Beauveria Bassiana: *see* Cocoa, 358
 Beet western yellows virus: Studies on beet western yellows virus in winter oilseed rape (*Brassica napus* ssp. *oleifera*) and the effect of insecticidal treatment on its spread, 137
 Bendiocarb: *see* Locust, 324
 Bifenthrin: *see* *Trichoplusia ni*, 206
 Biological control: *see* Weeds, 227
 Bird damage: Alternate-row treatment with the repellent methiocarb to protect cherry orchards from birds, 461
 Bird damage: *see* Oilseed rape, 299
 Blackbird: Red-winged blackbird (*Agelaius phoeniceus* L.) feeding response to oil and anthocyanin levels in sunflower meal, 455
 Bollworm, spotted: Life tables for spotted bollworm, *Earias vitella* (Fabricius), on four species of cotton, 133
 Book Reviews: 223, 293
Brassica napus: *see* Beet western yellows virus, 137
 Breeding: Resistance breeding in root and tuber crops at the International Institute of Tropical Agriculture (IITA), Ibadan, Nigeria, 147
Cacopsylla pyricola: *see* Pear psyllid, 197
Calocoris angustatus: *see* Sorghum, 429
 Carbaryl: *see* *Aphidius smithi*, 193
Carduus nutans: *see* Economics, 16
 Cereal aphids: *see* Aphicides, 271
 Cereals, winter: *see* Weeds, grassy, 181
 Cereals: *see* Take-all, 75
 Cherry orchard: *see* Bird damage, 461
Chilo partellus: *see* Stalk borer, 289
Clavigralla tomentosicollis: *see* Cowpea, 422
 Cocoa: *see* *Phytophthora palmivora*, 91, 98
 Cocoa: The effect of cocoa pod borer, *Conopomorpha cramerella*, on cocoa yield and quality in Sabah, Malaysia, 332
 Cocoa: Spread of cocoa swollen shoot virus to recent plantings in Ghana, 251
 Cocoa: Studies on *Beauveria bassiana* isolated from the cocoa mirid, *Helopeltis theobromae*, 358
 Computer model: *see* Spray volume distribution, 217
Conopomorpha cramerella: *see* Cocoa, 332
 Controlled release: Controlled-release insecticide granules, compared with other soil insecticides, for use against the termite, *Macrotermes natalensis* (Haviland), in the establishment of Eucalyptus plantations, 387
 Corcid bug: *see* Cowpea, 422
 Cotton: *see* Bollworm, spotted, 133
 Cotton: *see* Pheromone trapping, 188
 Cotton: *see* Ultra-low volume, 417
 Cotton: Use of scouting in the control of *Heliothis armigera* in cotton in WCGA in Tanzania, 310
 Cowpea: Efficiency of formaldehyde in the control of stem rot disease of cowpea in Nigeria, 280
 Cowpea: Use of the response of two growth stages of cowpea to different population densities of the corcid bug, *Clavigralla tomentosicollis* (Stahl.) to determine action threshold levels, 422
Cucumis melo: *see* Muskmelon, 439
Cynara scolymus: *see* Voles, 114
 Cyst nematode: *see* Soybean, 380
 Deposit persistence: *see* *Phytophthora palmivora*, 98
 Dipterous larvae: *see* Direct drilling, 49
 Direct drilling: Identity of the major pests of direct-drilled grass, 49
 Direct drilling: Impact of time of sowing on pest damage to direct-drilled grass and the mode of attack by dipterous stem borers, 55
 Docking disorder: *see* Sugar beet, 63
 Downy mildew: Control of sorghum downy mildew (*Peronosclerospora sorghi*) of maize by seed treatment in Nigeria, 82
Drepanosiphum platanoidis: Chemical control of sycamore aphid, *Drepanosiphum planatoidis* (Schr.), with organophosphorous and soap insecticides, 30
 Droplet size: *see* *Trichoplusia ni*, 206
Earias vitella: *see* Bollworm, spotted 133
 Economics: Economics of controlling *Carduus nutans* on grazed pasture in New Zealand, 16
 Ectoparasitic nematodes: *see* Sugar beet, 63
 Electrodynamic spray: *see* Ultra-low volume, 417
 Electrostatic spraying: Electrostatic spraying of pesticides: a review, 3
 Electrostatic spraying: *see* *Trialeurodes vaporariorum*, 40
Encarsia formosa: *see* *Trialeurodes vaporariorum*, 40
Erwinia amylovora: *see* Apple, 283
 Eucalyptus: *see* Controlled release, 387
 Evaluation model: *see* Fungicide insensitivity, 106
 Eyespot: *see* Wheat, winter, 373
 Field trial: *see* Parasitoids, 169
 Flow control valves: Evaluation of flow control valves for use in aerial pesticide application, 318
 Forecasting: *see* Aphid, 25
 Formaldehyde: *see* Cowpea, 280
Frankliniella occidentalis: Effectiveness of aldicarb in the control of the western flower thrips, *Frankliniella occidentalis* (Pergande), in table grapes in Northwestern Mexico, 277
 Frit fly: *see* Direct drilling, 55
 Fumigation: *see* *Tilletia indica*, 86
 Fungal disease: *see* Nematode, 412
 Fungicide insensitivity: A model for evaluating factors affecting the development of insensitivity to fungicides, 106
 Fungicide: Independent action of fungicides and its consequences for strategies to retard the evolution of fungicide resistance, 405
 Fungicide: Interactions of fungicide-insecticide combinations against *Rhizoctonia solani* in vitro and in soil, 399
 Fungicides: *see* Take-all, 75
Gaelumannomyces graminis: *see* Take-all, 75
Glycine max: *see* Soybean, 380
 Goss's wilt: *see* Maize, 363
 Grape: *see* *Frankliniella occidentalis*, 277
 Grass crops: *see* Direct drilling, 55
 Groundnut leafminer: *see* Integrated pest management, 349
Heliothis armigera: *see* Cotton, 310
Heliothis armigera: *see* Pheromone trapping, 188
Heliothis armigera: *see* *Spodoptera littoralis*, 127
Heliothis armigera: *see* Ultra-low volume, 417
Heliothis virescens: *see* *Spodoptera littoralis*, 127
Helopeltis theobromae: *see* Cocoa, 358
 Herbicide: Use of chemical desiccants pre-ploughing to enhance establishment of reseeded pastures, 436
Heterodera glycine: *see* Soybean, 380
 Imazamethabenz: *see* Weed control, 447
 Insecticide: *see* Beet western yellows virus, 137
 Insecticide: *see* Controlled release, 387

- Insecticide: *see* Fungicide, 399
 Insecticide: *see* Pear psylla, 122
 Integrated pest management: Application of dynamic programming for guiding IPM on groundnut leafminer in India, 349
 Integrated pest management: *see* Pear psyllid, 197
 Karnal bunt: *see* *Tilletia indica*, 86
 Locust: Controlling desert locust nymphs with bendiocarb applied by a vehicle-mounted spinning-disc sprayer, 324
Lolium spp.: *see* Direct drilling, 55
 Loss assessment: *see* Aphid, 25
 Low-volume application: *see* Flow control valves, 318
 Low-volume application: *see* *Phytophthora palmivora*, 91
 Maize: *see* Downy mildew, 82
 Maize: Relationships between incidence and severity of Stewart's and Goss's bacterial wilts and yield of sweet corn hybrids, 363
 Mealybug vector: *see* Cocoa, 251
 Metalaxyl: *see* Downy mildew, 82
 Metalaxyl: *see* *Pytophthora megasperma*, 369
 Methiocarb: *see* Bird damage, 461
Microtus californicus: *see* Voles, 114
 Mirid: *see* Cocoa, 358
 Muskmelon: Weed competition in muskmelon and its effects on yield and fruit quality, 439
Myzus persicae: *see* Potato, 340
 Nematode; Nematodes and fungal diseases in barley and wheat on Prince Edward Island, 412
 Oils: Use of oil and pyrethroid sprays to inhibit the spread of potato virus Yⁿ in the field, 37
 Oilseed rape, winter: *see* Beet western yellows virus, 137
 Oilseed rape: Woodpigeon (*Columba palumbus*) damage to oilseed rape, 299
 Organophosphates: *see* *Drepanosiphum platanoidis*, 30
Oryza spp.: *see* Wild rice, 265
 Parasitoids: Development of field trial methodology to assess short-term effects of pesticides on beneficial arthropods in arable crops, 169
 Pasture: *see* Herbicide, 436
 Pear psylla: Seasonal susceptibility to insecticides in insecticide-resistant pear psylla, *Psylla pyricola* (Homoptera: Psyllidae), 122
 Pear psyllid: Control of the pear psyllid *Cacopsylla pyricola*, in South East England by predators and pesticides, 197
 Permethrin: *see* *Trialeurodes vaporariorum*, 40
Peronosclerospora sorghi: *see* Downy mildew, 82
 Pest monitoring: *see* Aphid, 25
 Pesticides: *see* Electrostatic spraying, 3
 Pheromone trapping: Assessment of pheromone traps for monitoring and early warning of *Heliothis armigera* Hubner (Lepidoptera, Noctuidae) in the western cotton-growing areas of Tanzania, 188
Phytophthora palmivora: Fungicide deposition studies in the control of black pod disease of cocoa in Papua New Guinea, 91
Phytophthora palmivora: Persistence of fungicide deposits in the control of black pod disease of cocoa in Papua New Guinea, 98
 Pod borer: *see* Cocoa, 332
 Post-harvest treatment: *see* Apple, 283
 Potato: Resurgence of insecticide-resistant *Myzus persicae* on potatoes treated repeatedly with cypermethrin and mineral oil, 340
 Potato virus: *see* Oils, 37
 Predators: *see* Parasitoids, 169
 Prochloraz: *see* Wheat, winter, 373
Psylla pyricola: *see* Pear psylla, 122
 Pyrethroids: *see* Oils, 37
 Pyroxyfur: *see* *Pytophthora megasperma*, 369
Pytophthora megasperma: Effect of seed treatment with metalaxyl or pyroxyfur on damping-off of alfalfa caused by *Phytophthora megasperma* f.sp. *medicaginis*, 369
 Reseeding, grass: *see* Herbicide, 436
 Resistance management: *see* Acaricides, 212
 Resistance: *see* Breeding, 147
 Resistance: *see* Fungicide, 405
 Resistance: *see* Fungicide insensitivity, 106
 Resistance: *see* Pear psylla, 122
 Resistance: *see* Potato, 340
 Resistance: *see* Wild rice, 265
Rheum rhabarbarum: *see* Rhubarb, 443
Rheum raphaniticum: *see* Rhubarb, 443
Rhizoctonia solani: *see* Fungicide, 399
 Rhubarb: Evaluation of various methods of weed control for increasing rhubarb yields, 443
 Roll angle: *see* Spray volume distribution, 217
 Root crops: *see* Breeding, 147
 Ryegrass: *see* Direct drilling, 49
 Scouting: *see* Cotton, 310
 Slugs: Effects of soil compaction on damage to wheat seeds by three pest species of slug, 118
 Soaps: *see* *Drepanosiphum platanoidis*, 30
Sogatella furcifera: *see* Wild rice, 265
 Soil compaction: *see* Slugs, 118
 Soil-dwelling insects: *see* Sunflower, 397
 Sorghum head bug: *see* Sorghum, 429
 Sorghum: Assessment of avoidable losses and economic injury levels for the sorghum head bug, *Calocoris angustatus* Leth. (Hemiptera: Miridae) in India, 429
 Sorghum: *see* Stalk borer, 289
 Soybean: Use of soybean cyst nematode inbreds to determine genetic diversity among resistant soybeans, 380
 Spinning-disc sprayer: *see* Locust, 324
Spodoptera littoralis: Relative potency of abamectin against larval stages of *Spodoptera littoralis* (Boisd.), *Heliothis armigera* (Hubn.) and *Heliothis virescens* (F.) (Lepidoptera: Noctuidae), 127
 Spray application: *see* *Trichoplusia ni*, 206
 Spray drift: *see* Electrostatic spraying, 3
 Spray volume distribution: Effect of roll angle and nozzle spray pattern on the uniformity of spray volume distribution below a boom, 217
 Stalk borer: Effect of stubble treatment on the post-diapause emergence of the grain sorghum stalk borer, *Chilo partellus* (Swinhoe) (Lepidoptera: Pyralidae), 289
 Starling: Size and frequency of occurrence of pre-roost gatherings of starlings, 451
 Stem rot disease: *see* Cowpea, 280
 Stewart's wilt: *see* Maize, 363
Sturnus vulgaris: *see* Starling, 451
 Sugar beet: Damage to sugar beet crops by ectoparasitic nematodes, and its control by soil-applied granular pesticides, 63
 Sunflower: Bait application for controlling soil-dwelling insects in sunflower, 397
 Sunflower: *see* Blackbird, 455
 Swollen shoot virus: *see* Cocoa, 251
 Synergism: *see* Fungicide, 399, 405
 Take-all: Progress in research on the control of take-all in cereals with fungicides: a review, 75
 Termite: *see* Controlled release, 387
Tetranychus evansi: *see* Acaricides, 212
Tilletia indica: Environmental effects on survival and growth of secondary sporidia and teliospores of *Tilletia indica*, 86
 Tobacco: *see* Acaricides, 212
Trialeurodes vaporariorum: Air-assisted electrostatic application of permethrin to glasshouse tomatoes: droplet distribution and its effect upon whiteflies (*Trialeurodes vaporariorum*) in the presence of *Encarsia formosa*, 40
Trichoplusia ni: Influence of bifenthrin spray deposit quality on the mortality of *Trichoplusia ni* (Lepidoptera: Noctuidae) on cabbage, 206
 Tuber crops: *see* Breeding, 147
 Ultra-low volume: Assessment of electrodynamic spraying as an alternative to ultra-low-volume spraying in western Tanzania, 417
 Ultra-low-volume: *see* Electrostatic spraying, 3
 Ultra-low-volume: *see* Flow control valves, 318
 Voles: Food habits of California voles, *Microtus californicus*, in artichokes, *Cynara scolymus*, 114
 Weed control: Broadening weed control with imazamethabenz combinations, 447
 Weed control: *see* Economics, 16
 Weed control: *see* Rhubarb, 443
 Weed control: *see* Muskmelon, 439

Weeds, grassy: Grassy weeds in winter cereals in southern Spain, 181
 Weeds: Recent developments in biological control of weeds, 227
 Western flower thrip: *see* *Frankliniella occidentalis*, 277
 Wheat seeds: *see* Slugs, 118
 Wheat, winter: Redistribution of foliar

surface deposits of prochloraz by simulated rainfall and the control of eyespot disease of winter wheat, 373
 Wheat, winter: *see* Starling, 451
 Wheat, winter: *see* Aphicides, 271
 Wheat: *see* Nematode, 412
 Whitebacked planthopper: *see* Wild rice, 265

Wild rice: Resistance of wild rices, *Oryza* spp., to the whitebacked planthopper, *Sogatella furcifera* (Horvath) (Homoptera: Delphacidae), 265
 Woodpigeon: *see* Oilseed rape, 299
Zea mays: *see* Maize, 363

Author Index

ADAMS, A. J. AND PALMER, A. Air-assisted electrostatic application of permethrin to glasshouse tomatoes: droplet distribution and its effect upon whiteflies (*Trialeurodes vaporariorum*) in the presence of *Encarsia formosa*, 40
 ADAMS, A. J. AND HALL, F. R. Influence of bifenthrin spray deposit quality on the mortality of *Trichoplusia ni* (Lepidoptera: Noctuidae) on cabbage, 206
 ANAND, S. C. AND LUEDDERS, V. D. Use of soybean cyst nematode inbreds to determine genetic diversity among resistant soybeans, 380
 ANASO, A. B., TYAGI, P. D., EMECHEBE, A. M. AND MANZO, S. K. Control of sorghum downy mildew (*Peronosclerospora sorghi*) of maize by seed treatment in Nigeria, 82
 ANDERSON, R. V. *see* KIMPINSKI, J., 412
 ASHBY, J. E. *see* CARTER, N., 271
 ATKINSON, P. R. Controlled-release insecticide granules, compared with other soil insecticides, for use against the termite, *Macrotermes natalensis* (Haviland) in the establishment of Eucalyptus plantations, 387
 ATROPO, P. K. *see* JACKAI, L. E. N., 422
 BARTLETT, E. *see* HARRINGTON, R., 340
 BATEMAN, G. L. Progress in research on the control of take-all in cereals with fungicides: a review, 75
 BELL, A. C. Use of oil and pyrethroid sprays to inhibit the spread of potato virus Yⁿ in the field, 37
 BENTLEY, B. R. AND CLEMENTS, R. O. Identity of the major pests of direct-drilled grass, 49
 BENTLEY, B. R. AND CLEMENTS, R. O. Impact of time of sowing on pest damage to direct-drilled grass and the mode of attack by dipterous stem borers, 55
 BLAIR, B. W., Laboratory screening of acaricides against *Tetranychus evansi* Baker & Pritchard, 212
 BOASE, C. *see* SYMMONS, P., 324
 BROOKE, S. D. AND CHADD, E. M. Evaluation of flow control valves for use in aerial pesticide application, 318
 BULLARD, R. W. *see* MASON, J. R., 455

BURTS, E. C. *see* van de Baan, H. E., 122
 CARTER, N., POWELL, W., WRIGHT, A. F. AND ASHBY, J. E. Effectiveness of different insecticides applied at various growth stages to control aphids on winter wheat, 271
 CHADD, E. M. *see* BROOKE, S. D., 318
 CHIEW, LAN, C. *see* TONG-KWEE, L., 358
 CHOW, P. N. P. Broadening weed control with imazamethabenz combinations, 447
 CLARK, S. J. *see* HARRINGTON, R., 340
 CLAYTON, J. S. *see* SYMMONS, P., 324
 CLEMENTS, R. O. *see* BENTLEY, B. R., 49
 CLEMENTS, R. O. *see* BENTLEY, B. R., 55
 CLEMENTS, R. O. AND JACKSON, C. A. Use of chemical desiccants pre-ploughing to enhance establishment of reseeded pastures, 436
 COOKE, B. K., HISLOP, E. C., JORDAN, V. W. L., WESTERN, N. M. AND HERRINGTON, P. J. Redistribution of foliar surface deposits of prochloraz by simulated rainfall and the control of eyespot disease of winter wheat, 373
 COOKE, D. A. Damage to sugar-beet crops by ectoparasitic nematodes, and its control by soil-applied granular pesticides, 63
 CORBITT, T. S., GREEN, A. ST J. AND WRIGHT, D. J. Relative potency of abamectin against larval stages of *Spodoptera littoralis* (Boisd.), *Heliothis armigera* (Hüb.) and *Heliothis virescens* (F.) (Lepidoptera: Noctuidae), 127
 CRANHAM, J. E. *see* SOLOMON, M. G., 197
 CREAGER, R. A. Evaluation of various methods of weed control for increasing rhyrbarb yields, 443
 CROFT, B. A. *see* van de Baan, H. E., 122
 CUEVAS, J. *see* SAAVEDRA, M., 181
 CULLEN, J. M. *see* WAPSHERE, A. J., 227
 DAVIS, A. J. Effects of soil compaction on damage to wheat seeds by three pest species of slug, 118
 DAY, R. K. The effect of cocoa pod borer, *Conopomorpha cramerella*, on cocoa yield and quality in Sabah, Malaysia, 332
 DELFOSSE, E. S. *see* WAPSHERE, A. J., 227
 DOLBEER, R. A. *see* MASON, J. R., 455

DOLBEER, R. A. *see* TOBIN, M. E., 461
 DOYLE, C. J. *see* MOORE, W. B., 16
 DUDLEY, N. J., MUELLER, R. A. E. AND WIGHTMAN, J. A. Application of dynamic programming for guiding IPM on groundnut leafminer in India, 349
 EASTERBROOK, M. A. *see* SOLOMON, M. G., 197
 EDWARDS, I. D. *see* PARRY, W. H., 30
 EMECHEBE, A. M. *see* ANASO, A. B., 82
 FFRENCH-CONSTANT, R. H. *see* HARRINGTON, R., 340
 FITZGERALD, J. D. *see* SOLOMON, M. G., 197
 GAIT, FEE, C. *see* TONG-KWEE, L., 358
 GARCIA-TORRES, L. *see* SAAVEDRA, M., 181
 GEORGE, S. *see* JOLLANDS, P., 91
 GISI, U. *see* KATARIA, H. R., 399
 GORTA, M. *see* SYMMONS, P., 324
 GREEN, A. ST J. *see* CORBITT, T. S., 127
 GUERRA-SOBREVILLA, L. Effectiveness of aldicarb in the control of the western flower thrips, *Frankliniella occidentalis* (Pergande), in table grapes in North-western Mexico, 277
 HAHN, S. K., ISOBA, J. C. G. AND IKOTUN, T. Resistance breeding in root and tuber crops at the International Institute of Tropical Agriculture (IITA), Ibadan, Nigeria, 147
 HALL, F. R. *see* ADAMS, A. J., 206
 HARRINGTON, R., BARTLETT, E., RILEY, D. K., FFRENCH-CONSTANT, R. H. AND CLARK, S. J. Resurgence of insecticide-resistant *Myzus persicae* on potatoes treated repeatedly with cypermethrin and mineral oil, 340
 HERRINGTON, P. J. *see* COOKE, B. K., 373
 HISLOP, E. C. *see* COOKE, B. K., 373
 HOFFMAN, J. A. *see* SMILANICK, J. L., 86
 HOWARD, W. E. *see* KOEHLER, A. E., 114
 IKOTUN, T. *see* HAHN, S. K., 147
 INGLIS, I. R., THEARLE, R. J. P. AND ISAACSON, A. J. Woodpigeon (*Columba palumbus*) damage to oilseed rape, 299

- ISAACSON, A. J. *see* INGLIS, I. R., 299
 ISOBA, J. C. G. *see* HAHN, S. K., 147
- JACKAI, L. E. N., ATROPO, P. K. AND ODEBIYI, J. A. Use of the response of two growth stages of cowpea to different population densities of the coreid bug, *Clavigralla tomentosicollis* (Stahl.) to determine action threshold levels, 422
 JACKSON, C. A. *see* CLEMENTS, R. O., 436
 JENKINS, T. A. R. *see* PARRY, W. H. 30
 JOHNSTON, H. W. *see* KIMPINSKI, J., 412
 JOLLANDS, P. AND JOLLANDS, P. Persistence of fungicide deposits in the control of black pod disease of cocoa in Papua New Guinea, 98
 JOLLANDS, P., JOLLANDS, P. AND GEORGE, S. Fungicide deposition studies in the control of black pod disease of cocoa in Papua New Guinea, 91
 JORDAN, V. W. L. *see* COOKE, B. K., 373
 JOSEPOVITS, G. A model for evaluating factors affecting the development of insensitivity to fungicides, 106
 KATARIA, H. R., SINGH, H. AND GISI, U. Interactions of fungicide-insecticide combinations against *Rhizoctonia solani* *in vitro* and in soil, 399
 Kfir, R., VAN HAMBURG, H. AND VAN VUREN, R. Effect of stubble treatment on the post-diapause emergence of the grain sorghum stalk borer, *Chilo partellus* (Swinhoe) (Lepidoptera: Pyralidae), 289
 KIMPINSKI, J., ANDERSON, R. V., JOHNSTON, H. W. AND MARTIN, R. A. Nematodes and fungal diseases in barley and wheat on Prince Edward Island, 412
 KOEHLER, A. E., MARSH, R. E., TUNBERG, A. D. AND HOWARD, W. E. Food habits of California voles, *Microtus californicus*, in artichokes, *Cynara scolymus*; 114
- LAYCOCK, D. S. *see* WALSH, J. A., 137
 LOPEZ, V. F. *see* SHARMA, H. C., 429
 LUEDDERS, V. D. *see* ANAND, S. C., 380
- MACKAUER, M. *see* MCGREGOR, R., 193
 MANZO, S. K. *see* ANASO, A. B., 82
 MARSH, R. E. *see* KOEHLER, A. E., 114
 MARTIN, R. A. *see* KIMPINSKI, J., 412
 MASON, J. R., BULLARD, R. W., DOLBEER, R. A. AND WORONECKI, P. P. Red-winged blackbird (*Agelaius phoeniceus* L.) feeding response to oil and anthocyanin levels in sunflower meal, 455
 MATTHEWS, G. A. Electrostatic spraying of pesticides: a review, 3
 MAWER, C. J. AND MILLER, P. C. H. Effect of roll angle and nozzle spray pattern on the uniformity of spray volume distribution below a boom, 217
 MCGREGOR, R. AND MACKAUER, M. Toxicity of carbaryl to the pea aphid parasite, *Aphidius smithi*: influence of behaviour on pesticide uptake, 193
 MESA GARCIA, J. *see* SAAVEDRA, M., 181
- MILLER, A. *see* WALSH, J. A., 137
 MILLER, P. C. H. *see* MAWER, C. J., 217
 MOORE, W. B., DOYLE, C. J. AND RAMAN, A. Economics of controlling *Carduus nulus* on grazed pasture in New Zealand, 16
 MUELLER, R. A. E. *see* DUDLEY, N. J., 349
 MUHAMAD, R. *see* TONG-KWEE, L., 358
 MURRAY, D. A. H. Bait application for controlling soil-dwelling insects in sunflower, 397
 MYERS, D. K. *see* RHODES, L. H., 369
- NANTHAGOPAL, R. AND UTHAMASAMY, S. Life tables for spotted bollworm, *Earias vitella* (Fabricius), on four species of cotton, 133
 NERSON, H. Weed competition in muskmelon and its effects on yield and fruit quality, 439
 NYAMBO, B. T. Assessment of electrodynamic spraying as an alternative to ultra-low-volume spraying in western Tanzania, 417
 NYAMBO, B. T. Assessment of pheromone traps for monitoring and early warning of *Heliothis armigera* Hubner (Lepidoptera, Noctuidae) in the western cotton-growing areas of Tanzania, 188
 NYAMBO, B. T. Use of scouting in the control of *Heliothis armigera* in cotton in WCGA in Tanzania, 310
- ODEBIYI, J. A. *see* JACKAI, L. E. N., 422
 OKONKWO, C. A. C. Efficiency of formaldehyde in the control of stem rot disease of cowpea in Nigeria, 280
 OLLENNU, L. A. A., OWUSU, G. K. AND THRESH, J. M. Spread of cocoa swollen shoot virus to recent plantings in Ghana, 251
 OWUSU, G. K. *see* OLLENNU, L. A. A., 251
- PALMER, A. *see* ADAMS, A. J., 40
 PARRY, W. H., EDWARDS, I. D. AND JENKINS, T. A. R. Chemical control of sycamore aphid, *Drepanosiphum planatoidis* (Schr.), with organophosphorous and soap insecticides, 30
 PATAKY, J. K. *see* SUPARYONO, 363
 PERRIN, R. M. *see* WALSH, J. A., 137
 POWELL, W. *see* CARTER, N., 271
 PRESCOTT, J. M. *see* SMILANICK, J. L., 86
 RAMAN, A. *see* MOORE, W. B., 16
 REYMOND, S. T. *see* ROBERTS, R. G., 283
 RHODES, L. H. AND MYERS, D. K. Effect of seed treatment with metalaxyl or pyroxyfur on damping-off of alfalfa caused by *Phytophthora megasperma* f. sp. *medicaginis*, 369
 RILEY, D. K. *see* HARRINGTON, R., 340
 ROBERTS, R. G. AND REYMOND, S. T. Evaluation of post-harvest treatments for eradication of *Erwinia amylovora* from apple fruit, 283
- SAAVEDRA, M., CUEVAS, J., MESA GARCIA, J. AND GARCIA-TORRES, L. Grassy weeds in winter cereals in southern Spain, 181
 SECREST, L. R. *see* SMILANICK, J. L., 86
- SHARMA, H. C. AND LOPEZ, V. F. Assessment of avoidable losses and economic injury levels for the sorghum head bug, *Calocoris angustatus* Leth. (Hemiptera: Miridae) in India, 429
 SHAW, M. W. Independent action of fungicides and its consequences for strategies to retard the evolution of fungicide resistance, 405
 SINGH, H. *see* KATARIA, H. R., 399
 SMART, L. E., STEVENSON, J. H. AND WALTERS, J. H. H. Development of field trial methodology to assess short-term effects of pesticides on beneficial arthropods in arable crops, 169
 SMILANICK, J. L., PRESCOTT, J. M., HOFFMAN, J. A., SECREST, L. R. AND WEISE, K. Environmental effects on survival and growth of secondary sporidia and teliospores of *Tilletia indica*, 86
 SOLOMON, M. G., CRANHAM, J. E., EASTERBROOK, M. A. AND FITZGERALD, J. D. Control of the pear psyllid *Cacopsylla pyricola*, in South East England by predators and pesticides, 197
 STEVENSON, J. H. *see* SMART, L. E., 169
 SUMMERS, R. W. Size and frequency of occurrence of pre-roost gatherings of starlings, 451
 SUPARYONO AND PATAKY, J. K. Relationships between incidence and severity of Stewart's and Goss bacterial wilts and yield of sweet corn hybrids, 363
 SYMMONS, P., BOASE, C., CLAYTON, J. S. AND GORTA, M. Controlling desert locust nymphs with bendiocarb applied by a vehicle-mounted spinning-disc sprayer, 324
- TATCHELL, G. M. An estimate of the potential losses to some crops due to aphids in Britain, 25
 THEARLE, R. J. P. *see* INGLIS, I. R., 299
 THRESH, J. M. *see* OLLENNU, L. A. A., 251
 TOBIN, M. E., DOLBEER, R. A. AND WEBSTER, C. M. Alternate-row treatment with the repellent methiocarb to protect cherry orchards from birds, 461
 TONG-KWEE, L., MUHAMAD, R., GAIT FEE, C. AND CHIEW LAN, C. Studies on *Beauveria bassiana* isolated from the cocoa mirid, *Helopeltis theobromae*, 358
 TUNBERG, A. D. *see* KOEHLER, A. E., 114
 TYAGI P. D. *see* ANASO, A. B., 82
- UTHAMASAMY, S. *see* NANTHAGOPAL, R., 133
- VAN DE BAAN, H. E., WESTIGARD, P. H., BURTS, E. C. AND CROFT, B. A. Seasonal susceptibility to insecticides in insecticide-resistant pear psylla, *Psylla pyricola* (Homoptera: Psyllidae), 122
 VAN HAMBURG, H. *see* Kfir, R., 289
 VAN VUREN, R. *see* Kfir, R., 289
 VELUSAMY, R. Resistance of wild rices, *Oryza* spp., to the whitebacked planthopper, *Sogatella furcifera* (Horvath) (Homoptera: Delphacidae), 265

- WALSH, J. A., PERRIN, R. M., MILLER, A. AND LAYCOCK, D. S. Studies on beet western yellows virus in winter oilseed rape (*Brassica napus* ssp. *oleifera*) and the effect of insecticidal treatment on its spread, 137
- WALTERS, J. H. H. *see* SMART, L. E., 169
- WAPSHERE, A. J., DELFOSSE, E. S. AND CULLEN, J. M. Recent developments in biological control of weeds, 227
- WEBSTER, C. M. *see* TOBIN, M. E., 461
- WEISE, K. *see* SMILANICK, J. L., 86
- WESTERN, N. M. *see* COOKE, B. K., 373
- WESTIGARD, P. H. *see* VANDEBAAN, H. E., 122
- WIGHTMAN, J. A. *see* DUDLEY, N. J., 349
- WORONECKI, P. P. *see* MASON, J. R., 455
- WRIGHT, A. F. *see* CARTER, N., 271
- WRIGHT, D. J. *see* CORBITT, T. S., 127